



SAFETY DATA SHEET (SDS)
REVISION DATE: 03/03/2016

HUE CORPORATION

Color your everything, may your Hue come true

SECTION I. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT IDENTIFIER:

PRODUCT NAME **HUE EOSINE EX CONC**
 PRODUCT NUMBER 1-C6-087-XPC
 COLOR INDEX NAME ACID RED 087
 COLOR INDEX NO 45380
 C. A. S. # 17372-87-1
 CHEMICAL FAMILY..... XANTHENE DYE

INTENDED USE OF THE PRODUCT:

FELT TIP, MARKER INKS, WATER BASED COATINGS AND SPECIALTY INKS, PRINTING ON NYLON, SILK AND WOOL.

NAME, ADDRESS AND TELEPHONE OF RESPONSIBLE PARTY:

HUE CORPORATION	TELEPHONE	714-389-3130
P.O. BOX 509	FAX	714-389-9731
TUSTIN, CA 92781	EMAIL	SUPPORT@HUECORPORATION.COM

EMERGENCY TELEPHONE NUMBER:

CHEMTREC (USA)	1-800-424-9300
CHEMTREC (OUTSIDE USA)	1-703-527-3887

SECTION 2. HAZARD(S) IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

GHS-US
 ACUTE TOX. - INHALATION (CATEGORY 5)
 EYE DAM./IRRITATION (CATEGORY 2B)
 SKIN CORR./IRRITATION (CATEGORY 3)

GHS LABELING:

HAZARD PICTOGRAMS (GHS-US): NO SYMBOL

SIGNAL WORD WARNING

HAZARD STATEMENT(S)	H333 - MAY BE HARMFUL IF INHALED H320 - CAUSES EYE IRRITATION H316 - CAUSES MILD SKIN IRRITATION
---------------------	--

PRECAUTIONARY STATEMENTS	P305 + 351 + P338 - IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR
--------------------------	---

SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P337 + P313 - IF EYE IRRITATION OCCURS/PERSISTS:
GET MEDICAL ADVICE AND ATTENTION.

P261 - AVOID BREATHING DUST/FUMES/GAS/MIST/VAPORS/SPRAY

P264 - WASH FACE THOROUGHLY AFTER HANDLING.

P322 + P313 - IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/
ATTENTION.

P304 + P312 - IF INHALED: CALL A POISON CENTER/DOCTOR/PHYSICIAN
IF YOU FEEL UNWELL

P501 - DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH
LOCAL/ REGIONAL/ NATIONAL INTERNATIONAL REGULATIONS.

OTHER HAZARDS
UNKNOWN ACUTE TOXICITY

NO DATA AVAILABLE
NO DATA AVAILABLE

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

DESCRIPTION OF MIXTURE: PROPRIETARY MIXTURE OF DYES.

SUBSTANCE:

NAME	C.A.S.#	WEIGHT 100%	GHS-US CLASSIFICATION
ACID RED 087	17372-87-1	100%	ACUTE TOX. - INHALATION (CATEGORY 5) EYE DAM./IRRITATION (CATEGORY 2B) SKIN CORR./IRRITATION (CATEGORY 3)

SECTION 4. FIRST AID MEASURES

FIRST AID MEASURES GENERAL:

INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN AND GET IMMEDIATE MEDICAL ATTENTION.

SKIN: WASH WITH MILD SOAP AND WATER. IF IRRITATION OCCURS GET MEDICAL ATTENTION. IF CLOTHING IS CONTAMINATED, RE-MOVE AND WASH BEFORE REUSE.

EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES, HOLDING EYELIDS APART FOR THOROUGH IRRIGATION. GET IMMEDIATE MEDICAL ATTENTION.

INGESTION: INDUCE VOMITING - SEEK IMMEDIATE MEDICAL ATTENTION.

MOST IMPORTANT SYMPTOMS AND EFFECTS, ACUTE AND DELAYED:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY HAZARDOUS COMMUNICATION STANDARD. HOWEVER, AS WITH ALL CHEMICAL; HANDLE WITH CARE, AVOID EYE AND SKIN CONTACT, AVOID INHALATION OF DUSTS OR VAPORS. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINERS CLOSED.

SECTION 5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA:

WATER, DRY CHEMICAL, CARBON DIOXIDE, FOAM.

SPECIAL HAZARDS ARISING FROM SUBSTANCE OR MEDIA:

FIREFIGHTERS SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS TO GUARD AGAINST POTENTIALLY TOXIC AND IRRITATING FUMES. AVOID DUSTING. DUST CAN FORM EXPLOSIVE MIXTURES WITH AIR.

PROTECTION/ADVICE FOR FIREFIGHTER(S):

BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

REMOVE PERSONS FROM DANGER AREA.

ENVIRONMENTAL PRECAUTIONS:

AVOID ANY UNCONTROLLED RELEASE OF MATERIAL. DO NOT EMPTY INTO DRAINS OR THE AQUATIC ENVIRONMENT.

EMERGENCY PROCEDURES:

NO ADDITIONAL INFORMATION

METHODS AND MATERIALS FOR CONTAMINANT AND CLEANING UP:

WHERE SPILLS ARE POSSIBLE, A COMPREHENSIVE SPILL RESPONSE PLAN SHOULD BE DEVELOPED AND IMPLEMENTED. AVOID ANY UNCONTROLLED RELEASE OF MATERIAL.

UTILIZE RECOMMENDED PROTECTIVE CLOTHING AND EQUIPMENT (SEE SECTION 8). SPILLS SHOULD BE SWEEPED UP USING AN ABSORBENT DUST CONTROL PRODUCT AND PLACED IN CONTAINERS. SPILL AREA CAN BE WASHED WITH WATER. COLLECT WATER FOR APPROVED DISPOSAL. IN THE EVENT OF UNCONTROLLED RELEASE OF THIS MATERIAL, THE USER SHOULD DETERMINE IF THE RELEASE IS REPORTABLE UNDER APPLICABLE LAWS AND REGULATIONS.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

HANDLE WITH CARE. AVOID OVER EXPOSURE. USE NIOSH/OSHA APPROVED RESPIRATOR, WORK GLOVES, AND CLOTHING. WASH AFTER HANDLING. SENSITIVE INDIVIDUALS MAY EXPERIENCE RESPIRATORY ALLERGIES. MAY CAUSE SKIN IRRITATION. USE WITH LOCAL VENTILATION.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION OR OTHER ENGINEERING CONTROLS TO KEEP AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS.

KEEP AWAY FROM HEAT. KEEP AWAY FROM SOURCES OF IGNITION.

KEEP AWAY FROM STRONG OXIDIZING AND REDUCING AGENTS.

SPECIFIC END USES:

FELT TIP, MARKER INKS, WATER BASED COATINGS AND SPECIALTY INKS, PRINTING ON NYLON, SILK AND WOOL.

 SECTION 8. EXPOSURE CONTROLS /PERSONAL PROTECTION

CONTROL PARAMETERS:

INGREDIENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE - NOT REQUIRED

EXPOSURE CONTROLS:

APPROPRIATE ENGINEERING CONTROLS - THE USUAL PRECAUTIONARY MEASURES ARE TO BE ADHERED TO WHEN HANDLING CHEMICALS.

PERSONAL PROTECTIVE EQUIPMENT:



HAND PROTECTION
EYE PROTECTION
SKIN AND BODY

WEAR IMPERMEABLE RUBBER OR PLASTIC GLOVES
TIGHTLY SEALED SAFETY GOGGLES OR FULL FACE SIDE SHIELDS.
APRON, COVERALLS AND NON-LEATHER SOLED WORK SHOES.
WASH DYE CONTAMINATED CLOTHES AND SKIN WITH MILD SOAP AND DETERGENTS.

RESPIRATORY
HYGIENE MEASURES

WEAR OSHA/NIOSH APPROVED DUST MASK/RESPIRATOR
HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICES. WASH HANDS AFTER HANDLING MATERIAL.

OTHER PROTECTION

DELUGE SAFETY SHOWER AND EYE WASH STATION SHOULD BE LOCATED NEAR WORK AREA.

 SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES :

APPEARANCE, COLOR, ODOR	POWDER, NO ODOR
pH	7.0 - 8.5
MELTING POINT/FREEZING POINT	ND
INITIAL BOILING POINT/BOILING RANGE	0.00
FLASHPOINT	NOT APPLICABLE
EVAPORATION RATE	NO DATA
FLAMMABILITY (SOLID,GAS)	NORMALLY STABLE, NOT COMBUSTIBLE NOR FLAMMABLE
UPPER EXPLOSIVE LIMITS	NA
LOWER EXPLOSIVE LIMITS	NA
VAPOR PRESSURE	NA
VAPOR DENSITY	NA
RELATIVE DENSITY	NA

SOLUBILITY IN WATER	SOLUBLE
PARTITION COEFFICIENT N-OCTANOL/WATER	NO DATA
AUTO-IGNITION TEMPERATURE	NO DATA
DECOMPOSITION TEMPERATURE	NO DATA
VISCOSITY, DYNAMIC	NO DATA
VISCOSITY, CINEMATIC	NO DATA
EXPLOSIVE PROPERTIES	N/A
OXIDIZING PROPERTIES	NA
OTHER INFORMATION	NA

SECTION 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY	STABLE UNDER NORMAL STORAGE AND HANDLING CONDITIONS.
CONDITIONS TO AVOID	OXIDIZING & REDUCING AGENTS MAY DESTROY COLOR.
INCOMPATIBLE MATERIALS	OXIDIZING & REDUCING AGENTS MAY DESTROY COLOR.
HAZARDOUS DECOMPOSITION PRODUCTS	CO, CO ₂ , OXIDES OF NITROGEN AND OTHER POTENTIALLY TOXIC FUMES.

SECTION 11. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL EFFECTS :

ORAL (ANIMAL)	GREATER THAN 2000 MG/KG - RAT
DERMAL (ANIMAL)	NO DATA AVAILABLE
EFFECTS TO EYES (ANIMAL)	NO DATA AVAILABLE
SKIN IRRITATION (ANIMAL)	NO DATA AVAILABLE
SKIN CORROSION/IRRITATION	NOT CLASSIFIED
SERIOUS EYE DAMAGE/IRRITATION	CAUSES SERIOUS EYE IRRITATION
RESPIRATORY OR SKIN SENSITIZATION	NOT CLASSIFIED
GERM CELL MUTAGENICITY	NOT CLASSIFIED
CARCINOGENICITY	NOT CLASSIFIED
REPRODUCTIVE TOXICITY	NOT CLASSIFIED
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)	MAY CAUSE DROWSINESS OR DIZZINESS.
ASPIRATION HAZARD	NOT CLASSIFIED
INHALATION	MAY CAUSE DROWSINESS OR DIZZINESS.
EYE CONTACT	CAUSES SERIOUS EYE IRRITATION.
INGESTION	INGESTION MAY CAUSE NAUSEA, VOMITING AND DIARRHEA

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY	NA
PERSISTENCE AND DEGRADABILITY	NA
BIOACCUMULATIVE POTENTIAL	NA
MOBILITY IN SOIL	NA
OTHER ADVERSE EFFECTS	NA

SECTION 13. DISPOSAL CONSIDERATION

TSCA STATUS	IN COMPLIANCE
E C CLASSIFICATION	(67/548/EEC - 88/379/EEC) N/A
EINECS NUMBER	
REACH CLASSIFICATION	
R PHRASES	
ADDITIONAL REGULATORY INFORMATION	CONTAINS:
	<11PPM BENZENE, (CAS#71-43-2)
	<11PPM TOLUENE, (CAS#108-88-3)
	<11PPM XYLENES, (CAS#1330-20-7)

SECTION 16. OTHER INFORMATION

INDICATION OF CHANGES:

NA

OTHER INFORMATION:

NA

GHS FULL TEXT PHRASES:

MAY BE HARMFUL IF INHALED	H333
CAUSES EYE IRRITATION	H320
CASUES MILD SKIN IRRITATION	H316

	HEALTH	FLAMMABILITY	REACTIVITY	PERSONAL PROT
H. M. I. S. CLASSIFICATION:	1	0	0	D
HMIS CODE: 4 - SEVERE HAZARD, 3 - SERIOUS HAZARD, 2 - MODERATE HAZARD, 1 - SLIGHT HAZARD, 0 - MINIMAL HAZARD				

SAFETY DATA SHEET (SDS)
REVISION DATE: 03/03/2016

ALL INFORMATION AND DATA APPEARING ON THIS SDS ARE BELIEVED TO BE RELIABLE AND ACCURATE.
HOWEVER, IT IS THE USER' S RESPONSIBILITY TO DETERMINE THE SAFETY, TOXICITY, AND SUITABILITY
FOR USE OF THE PRODUCT DESCRIBED. SINCE THE ACTUAL USE BY OTHERS IS BEYOND OUR CONTROL,
NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE BY HUE CORPORATION.
USER ASSUMES ALL RISK AND RESPONSIBILITY.
